

Interval-based validation of a nonlinear estimator

Maël GODARD,
Lab-STICC, ROBEX Team, ENSTA Bretagne
Tutors: Luc JAULIN (ENSTA Bretagne), Damien MASSE (UBO)



Avec le soutien de



**AGENCE
INNOVATION
DÉFENSE**

Introduction

What's an estimator ?

Examples




Figure: [1] An estimation : GNSS positioning

Examples




Figure: An other estimation : Weight measurement

Definitions

$\mathbf{x} \in \mathbb{X}_0$ Set of possible parameters

$\mathbf{y} = \mathbf{g}(\mathbf{x}) + \mathbf{e}$ Noisy observation

$\mathbf{e} \in [\mathbf{e}]$ Noise interval

$\hat{\mathbf{x}} = \boldsymbol{\psi}(\mathbf{y})$ Estimator to validate

$\boldsymbol{\varepsilon}(\mathbf{x}) = \|\mathbf{x} - \hat{\mathbf{x}}\|$ Error of the estimator

$\bar{\boldsymbol{\varepsilon}} = \max(\boldsymbol{\varepsilon}(\mathbf{x}))$

Formalism

Equivalently, this problem can be written as below:

$$\left\{ \begin{array}{l} \max \varepsilon(\mathbf{x}) = \|\mathbf{x} - \psi(\mathbf{g}(\mathbf{x}) + \mathbf{e})\| \\ \mathbf{x} \in \mathbb{X}_0 \\ \mathbf{e} \in [\mathbf{e}] \end{array} \right.$$

It can be interpreted as a maximization problem of ε or as a minimization problem of $-\varepsilon$.

Definition

An Optimization problem is defined by:


- An objective function to minimize $f : \mathbb{R}^n \mapsto \mathbb{R}$
- A domain $X_0 \subseteq \mathbb{R}^n$
- A set of conditions $g_i \{x_1, \dots, x_n\} \leq 0$ for $i \in \{1, \dots, m\}$. g_i are functions of type $\mathbb{R}^n \mapsto \mathbb{R}$.

The Moore-Skelboe algorithm

The Moore-Skelboe algorithm gives an box containing the global minimum of a function with width inferior to a chosen criteria, noted δ below:

```
let the cover be  $\{B_0\}$ 
while ( $w(f(B_0)) > \delta$ ) {
    //  $\mu \in f(B_0)$ 
    remove  $B_0$  from the cover
    split  $B_0$  and insert the results into
    the cover in non decreasing order of
     $lb(f(B_i))$ , for  $i = 0, \dots, N-1$ 
}
//  $\mu \in f(B_0)$  and  $w(f(B_0)) < \delta$ 
output  $f(B_0)$ 
```


Example






Figure: Moore-Skelboe algorithm - Step 2




Figure: Moore-Skelboe algorithm - Step 3





Figure: Moore-Skelboe algorithm - Step 4

Problem



$$X_0 = [5, 25]^2$$

$$[e] = [-0.2, 0.2]^3$$

$$a = (10, -9)$$

$$b = (5, 12)$$

$$c = (-15, 0)$$

$$g(x) = \begin{pmatrix} d_a \\ d_b \\ d_c \end{pmatrix}$$

Figure: Problem description

Gradient descent Estimator




Figure: Gradient descent algorithm - Step 1




Figure: Gradient descent algorithm - Step 2






Figure: Gradient descent algorithm - Step 3



Applied to $f_G(\mathbf{x}) = \|\mathbf{y} - \mathbf{g}(\mathbf{x})\|$, $\bar{\epsilon} = 8.4\text{m}$

Figure: Gradient descent algorithm - Step 4

Gradient descent estimator bad case






Figure: Gradient descent algorithm - Step 2




Figure: Gradient descent algorithm - Step 3





Figure: Gradient descent algorithm - Step 4

CNN Estimator



Maximal error in \mathbb{X}_0 : $1.67m$

Figure: Neural Network Estimator

Simulation




Figure: Visualization of $\bar{\epsilon}$

Conclusion

- Validation of all nonlinear estimator (non interval-based)
- Guaranteed

Bibliography

- [1] Bosser P., Support de cours, GNSS : Systèmes globaux de positionnement par satellite, 2017.
- [2] van Emden M., Moa B., Termination Criteria in the Moore-Skelboe Algorithm for Global Optimization by Interval Arithmetic, 2004.
- [3] Godard M., Jaulin L., Masse D., Interval-based validation of a nonlinear estimator, Under review.